

EAS ACCESSORIES



Explore our featured accessories, trusted for their reliability, durability, and ease of use in retail loss prevention.

★ FEATURED PRODUCT

ATS008

Handle Lock

- Dimension: 450mm
- Lanyard: 140mm
- Colour: Black (round shape)
- Lock: Standard



★ FEATURED PRODUCT

AT2033

Biscuit One

- Compact Design
- Dual Alarm Protection
- One Tag. Multiple Devices.



Reliable



Compatible



Versatile



Secure



www.corelite.com.my

Your Partner in Retail Security

ACCESSORIES

High-quality accessories to support and enhance your EAS system performance.

	AT1033 Super Tag III	• 58KHz, Strong Ferrite Tag (33mm) • Dimension: 69mm x 30.5mm x 5mm • Colour: Grey • Lock: Standard Pin/ Lanyard
	AT1103 Clip ink tag	• Dimension: 50mm x 12mm x 15mm • Self locking • Colour: white
	AT1233 Supertag with super lanyard	• 58KHz, Strong Ferrite Tag • Dimension: 69mm x 30.5mm x 5mm • Lanyard Length: 90mm • Colour: Grey • Lock: Super lanyard with pin
	AT4030 Mini Pencil Tag	• 58KHz, Strong Ferrite Tag (28mm) • Dimension: 46mm x 19mm x 9mm • Colour: Grey • Lock: Standard Pin/ Lanyard
	ATS001 Mini Clip Tag	• Dimension: 41mm x 67mm x 16mm • Lock: Standard

	AT4106 Pencil Tag With Lanyard	• 58KHz, Strong Ferrite Tag (28mm) • Dimension: 53mm x 19mm • Lanyard length: 60mm • Colour: Grey • Lock: Lanyard with pin
	AT4130 Pencil Tag With Super Lanyard	• 58KHz, Strong Ferrite Tag (28mm) • Dimension: 60mm x 19mm x 15mm • Lanyard length: 300mm • Colour: Grey • Lock: Lanyard with pin
	AT4230 Pencil Tag With Super Lanyard	• 58KHz, Strong Ferrite Tag (28mm) • Dimension: 60mm x 19mm x 15mm • Lanyard length: 300mm • Colour: Grey • Lock: Super Lanyard with pin
	AT5031L Embedded Premium Tag	• 58KHz, Strong Ferrite Tag (50mm) • Dimension: 65mm x 10mm x 10mm • Colour: Dark grey • Lock: Standard Pin / Lanyard
	AC9000 C Label	• 58KHz, 4 layer metal plate • High Density/ lasting cover material • Dimension: 45mm x 10mm • Colour: white

ACCESSORIES

High-quality accessories to support and enhance your EAS system performance.

	FT1011 Hard Tag	• 8.2Mhz, Strong Ferrite Tag • Dimension: 42mm X 48mm • Colour: Grey • Lock: Standard Pin/ Lanyard
	FT2011 Round Pin Tag	• 8.2Mhz, Strong Ferrite Tag • Dimension: 46mm X 46mm • Colour: Grey • Lock: Standard Pin/ Lanyard
	FT4031 Pencil Tag	• 8.2Mhz, Strong Ferrite Tag • Dimension: 55mm X 19mm X 12mm • Colour: Grey • Lock: Standard Pin/ Lanyard
	FT4111 Pencil Tag with lanyard	• 8.2Mhz, Strong Ferrite Tag • Dimension: 50mm X 19mm X 11mm • Lanyard Length: 90mm • Colour: Grey • Lock: Lanyard With Pin
	FT5031S Strong Pencil Tag	• 8.2Mhz, Strong Ferrite Tag • Dimension: 62mm X 19mm X 12mm • Colour: Grey • Lock: Standard Pin/ Lanyard

DEACTIVATORS


Reliable deactivation solutions for fast and efficient retail checkout.


	DE101 Super Detacher	• Dimension: 75mm X 35mm • Compatible Tag: All Type Of Pin Tag
	DE210 Super Strong Detacher with lock and string/lanyard	• Dimension: 110mm X 50mm X 48mm • Compatible Tag: All Type Of Pin Tag • Colour: Black
	DE205 Handheld Detacher	• Dimension: 280mm X 130mm X 80mm • Compatible Tag: Super Tag iii
	DEF303 RF Integrated Deactivator	• Dimension: 240mm x 240mm x 20mm • Compatible: RF label
	DEA305 AM Deactivator	• Dimension: 230mm X 190mm X 50mm • Compatible Tag: Softlabel



RFID TAG

Reliable RFID tagging solutions for accurate product identification and tracking.

	ZT3002	• Strong Ferrite Tag • UHF (902–928 MHz - US Band) • Dimension: 68mm X 30mm X 8mm • RFID Hard Tag • Colour: Grey
	ZT3003	• Strong Ferrite Tag • UHF (902–928 MHz - US Band) • Dimension: 60mm X 27mm X 9mm • Dual RFID Hard Tag • Colour: Grey
	ZT4000	• Strong Ferrite Tag • UHF (902–928 MHz - US Band) • Dimension: 54mm X 22mm • Compatible Tag: Softlabel
	ZT4001	• Strong Ferrite Tag • UHF (902–928 MHz - US Band) • Dimension: 125mm X 7mm • Compatible Tag: Softlabel
	ZT4002	• Strong Ferrite Tag • UHF (902–928 MHz - US Band) • Dimension: 54mm X 32mm • Compatible Tag: Softlabel

	ZT4003	• Strong Ferrite Tag • UHF (902–928 MHz - US Band) • Dimension: 73mm X 20mm • Compatible Tag: Softlabel
	ZT5001	• 58KHz, Strong Ferrite Tag • Anti-metal UHF Tag • Dimension: 95mm X 22mm • Compatible Tag: Softlabel
	ZT5002	• 58KHz, Strong Ferrite Tag • Anti-metal UHF Tag • Dimension: 70mm X 30mm • Compatible Tag: Softlabel
	ZT8001	• Strong Ferrite Tag • UHF (902–928 MHz - US Band) • Dimension: 70mm x 25mm x 5mm • RFID Hard Tag
	ZT8160	• Strong Ferrite Tag • UHF (902–928 MHz - US Band) • Dimension: 328mm X 79mm X 5mm • RFID Hard Tag with Lanyard