



PROFILE CATALOG



SECURITY MANAGEMENT SYSTEM

&

Digital Education Solutions

CORELITE SDN.BHD 201101045139 (973259-D)
5-1 & 5-2, JALAN SP 1, SELAYANG POINT,
61800 BATU CAVES, SELANGOR DARUL EHSAN,
MALAYSIA

TEL: +603-6120 5000 FAX: +603-6128 0500

H/P: +6011-1375 4000 / +6019-375 6000 / +6010-504 9000

E: info@corelite.com.my / admin@corelite.com.my

Website: www.corelite.com.my

Corelite RF Mono System – CR6300(M)

Radio Frequency (RF)

Corelite RF Mono System – CR6300(M) is a perfect solution for retail market with its discrete and slim design, full plexi, and high quality acrylic antenna. It provides minimal detection distance of 1700mm coverage between two pedestals.

Specification

Standard frequency : 8.2 khz

Dimension : 1580mm(H) x 360mm (W) x 20mm (T)

Weight : 18kg



Main Power Supply : 1A 250VAC

Hard tag detection range : 1200mm-1700mm

Label detection range : 600mm-750mm

Key Features

- Cost effective
- High quality acrylic
- Wider exist & maximizing customer flow
- Strong noise immunity in complicated installation environment
- High performance electronics with integrated LED light
- Easy and intelligent tuning
- Protecting full range of items in all kinds of stores



Our Customers



CORELITE

Since 2011

